


SPECIFICATION SHEET

VERSION 1,00 **VERSION DATE** 19/09/22 **PRINT DATE** 02/05/24

PRODUCT SANTALIFF IFF
APPLICATIONS Industrial raw material not intended for direct use.
IUPAC NAME 2-METHYL-4-(2,2,3-TRIMETHYL-3-CYCLOPENTEN-1-YL)-2-BUTEN-1-OL
SYNONYMS SANDALMYSORE CORE, SANTALIFF, HINDINOL

FORMULA C13 H22 O
MOLECULAR WEIGHT 194,20
CAS 28219-60-5

EINECS 248-907-2



TARIFF NUMBER 2906190090
KOSHER CERTIFICATE AVAILABLE ON REQUEST

REACH REGISTRATION NO. Exempt from registration (imported/manufactured < 1 ton/year)

SPECIFICATIONS

ASPECT AT 20°C	CLEAR VISCOUS LIQUID
COLOUR	COLORLESS
ODOUR	SANDALWOOD
TASTE	-
DENSITY AT 20°C (g / ml)	0,917 - 0,925
DENSITY 25/25	0,916 - 0,924
REFRACTIVE INDEX nD20	1,4860 - 1,4920
REFRACTIVE INDEX nD25	-
OPTICAL ROTATION (°)	/
BOILING POINT (°C)	120 - 125
MELTING POINT (°C)	-
FLASH POINT (°C)	94,00
ASSAY (% GC)	CIS 2-12%; TRANS 88-98%; CIS+TRANS > 92%
ACID VALUE (mg KOH/g)	-
SOLUBILITY	SOLUBILITY IN WATER: NON DETERMINED
VAPOUR PRESSURE	0,0001 kPa (CALC.)
OTHER SOLUBILITIES	SOLUBLE IN ETHANOL

OTHER TECHNICAL DATA TO GIVE INCREASED SUBSTANTIVITY AND SANDALWOOD CHARACTERS TO FRAGRANCES. SUBSTANTIVITY > 48 HOURS

STABILITY AND STORAGE

KEEP IN TIGHTLY CLOSED CONTAINER IN A COOL AND DRY PLACE, PROTECTED FROM LIGHT. WHEN STORED FOR MORE THAN 24 MONTHS, QUALITY SHOULD BE CHECKED BEFORE USE.
 STABILIZED WITH 0,1% OF BHT. KEEP BETWEEN 8 -10°C AWAY FROM SUNLIGHT

WE BELIEVE THE ABOVE INFORMATION TO BE CORRECT BUT WE DO NOT PRESENT IT AS ALL INCLUSIVE AND AS SUCH SHOULD BE USED AS A GUIDE.
 IT IS THE SOLE RESPONSIBILITY OF THE RECEIVER OF OUR PRODUCT TO COMPLY WITH EXISTING REGULATIONS AND INSTRUCTIONS.