

SPECIFICATION SHEET

O__O_C₂H₅

VERSION 7,00 **VERSION DATE** 20/01/23 **PRINT DATE** 21/12/24

PRODUCT BOISAMBRENE FORTE KAO

APPLICATIONS Industrial raw material not intended for direct use.

IUPAC NAME FORMALDEHYDE CYCLODECYL ETHYL ACETAL

SYNONYMS BOIS AMBRENE, AMBERWOOD, (ETHOXYMETHOXY) CYCLODODECANE

 FORMULA
 C15 H30 O2

 MOLECULAR WEIGHT
 242,45

 CAS
 58567-11-6

EINECS 261-332-1

TARIFF NUMBER 2911000000

KOSHER CERTIFICATE AVAILABLE ON REQUEST

REACH REGISTRATION NO. 01-2119971571-34

SPECIFICATIONS

ASPECT AT 20°C CLEAR MOBILE LIQUID

COLOUR COLORLESS

ODOUR NOBLE WOODY NOTE

TASTE

DENSITY AT 20°C (g / ml) 0,931 - 0,935

DENSITY 25/25

REFRACTIVE INDEX nD20 1,4650 - 1,4690

REFRACTIVE INDEX nD25
OPTICAL ROTATION (°)

BOILING POINT (°C) 94 (1 mbar)

MELTING POINT (°C)

 FLASH POINT (°C)
 145,00

 ASSAY (% GC)
 > 95

ACID VALUE (mg KOH/g)

SOLUBILITYNEARLY INSOLUBLE IN WATERVAPOUR PRESSURE< 1 kPa 50°C (CALCULATED)</th>OTHER SOLUBILITIESSOLUBLE IN ETHANOL

OTHER TECHNICAL DATA

STABILITY AND STORAGE

KEEP IN TIGHTLY CLOSED CONTAINER IN A COOL AND DRY PLACE, PROTECTED FROM LIGHT. WHEN STORED FOR MORE THAN 24 MONTHS, QUALITY SHOULD BE CHECKED BEFORE USE.

IT CONTAINS 50 ppm OF BHT AS ANTIOXIDANT.

WE BELIEVE THE ABOVE INFORMATION TO BE CORRECT BUT WE DO NOT PRESENT IT AS ALL INCLUSIVE AND AS SUCH SHOULD BE USED AS A GUIDE. IT IS THE SOLE RESPONSIBILITY OF THE RECEIVER OF OUR PRODUCT TO COMPLY WITH EXISTING REGULATIONS AND INSTRUCTIONS.