

## SPECIFICATION SHEET

**VERSION** 1,00 **VERSION DATE** 22/10/20 **PRINT DATE** 17/07/24


**PRODUCT** AMBERMORE KETAL CRYSTALS  
**APPLICATIONS** Industrial raw material not intended for direct use.  
**IUPAC NAME** DODECAHYDRO-3,8,8,11a-TETRAMETHYL-5H-3,5a-EPOXYNAPHTH[2,1C]OXEPIN  
**SYNONYMS** AMBER OXEPIN, AMBERKETAL, AMBERMOR KETAL, Z11, KETAMBER

**FORMULA** C18 H30 O2  
**MOLECULAR WEIGHT** 278,36  
**CAS** 57345-19-4

**EINECS** 260-686-4

**TARIFF NUMBER** 2932990090  
**KOSHER CERTIFICATE** AVAILABLE ON REQUEST

**REACH REGISTRATION NO.** Exempt from registration (imported/manufactured < 1 ton/year)



### SPECIFICATIONS

<b>ASPECT AT 20°C</b>	CRYSTALLINE SOLID
<b>COLOUR</b>	WHITE TO OFF-WHITE
<b>ODOUR</b>	AMBER, WOODY, MUSKY
<b>TASTE</b>	
<b>DENSITY AT 20°C (g / ml)</b>	-
<b>DENSITY 25/25</b>	-
<b>REFRACTIVE INDEX nD20</b>	-
<b>REFRACTIVE INDEX nD25</b>	-
<b>OPTICAL ROTATION (°)</b>	/
<b>BOILING POINT (°C)</b>	-
<b>MELTING POINT (°C)</b>	115-117
<b>FLASH POINT (°C)</b>	100,00
<b>ASSAY (% GC)</b>	> 97%; EPI ISOMER IS VERY SMALL
<b>ACID VALUE (mg KOH/g)</b>	-
<b>SOLUBILITY</b>	INSOLUBLE IN WATER
<b>VAPOUR PRESSURE</b>	NOT DETERMINED
<b>OTHER SOLUBILITIES</b>	SOLUBLE IN ORGANIC SOLVENTS

**OTHER TECHNICAL DATA** CONTAINERS HAVE TO BE NITROGEN-CAPPED AFTER USE SINCE OXYGEN AND MOISTURE ABSORPTION CAUSE DETERIORATION. USE ALUMINIUM OR EPOXY COATED STEEL CONTAINERS.

### STABILITY AND STORAGE

KEEP IN TIGHTLY CLOSED CONTAINER IN A COOL AND DRY PLACE, PROTECTED FROM LIGHT. WHEN STORED FOR MORE THAN 12 MONTHS, QUALITY SHOULD BE CHECKED BEFORE USE.  
 PURGE HEADSPACE WITH NITROGEN.

WE BELIEVE THE ABOVE INFORMATION TO BE CORRECT BUT WE DO NOT PRESENT IT AS ALL INCLUSIVE AND AS SUCH SHOULD BE USED AS A GUIDE. IT IS THE SOLE RESPONSIBILITY OF THE RECEIVER OF OUR PRODUCT TO COMPLY WITH EXISTING REGULATIONS AND INSTRUCTIONS.