

## **SPECIFICATION SHEET**

VERSION 3,00 V	ERSION DATE 19/09/22	<b>PRINT DATE</b> 02/05/24	
PRODUCT	OAKWOOD BASE		
APPLICATIONS	Industrial raw material not intended for	direct use.	
CLASSIFICATION	WOODY		
REACH REGISTRATION NO	<b>D.</b> All the ingredients of the mixture have b	een registered or they are exempt from registration.	
	_		
SPECIFICATIONS	5		
ASPECT AT 20°C	CLEAR MOBILE LIQUID/SOLID		
COLOUR ORANGEY BROWN			
ODOUR		F BURNT NOR TARRY), LIQUOR, STRONG, DIFFUSIVE, MAND NOTES. IT HAS EXCELLENT PERFORMANCE AND	
TENACITY USAGE	LASTS MORE THAN SIX WEEKS ON A SMELLING STRIP. RECONSTITUTION OF THE ODOUR OF TOASTED AMERICAN OAK BARRELS. SUITABLE FOR BEING USED IN PERFUMERY APPLICATIONS WITHOUT THE PROBLEMS OF SOLUBILITY AND POOR PERSISTENCE OF HYDROALCOHOLIC OAK EXTRACTS.		
	CANDLES, HOUSEHOLD, PERSO	NCES, FINE FRAGRANCE IN GENERAL, AIR FRESHENERS, NAL CARE, ETC. IT IS VERY LONG LASTING AND WITH OF ELEGANCE AND ORIGINALITY.	
STABILITY	NOT GOOD STABILITY AT HIGH	pH.	
DENSITY AT 20ºC (g / ml	) 0,929 - 0,949		
DENSITY 25/25	-		
REFRACTIVE INDEX nD20	1,4700 - 1,4900		
REFRACTIVE INDEX nD25	-		
OPTICAL ROTATION (°)	/		
BOILING POINT (°C)	-		
MELTING POINT (°C)	CA. 15°C		
FLASH POINT (°C)	50,00		
ASSAY (% GC)			
ACID VALUE (mg KOH/g)			
SOLUBILITY	PARTLY SOLUBLE IN WATER		
VAPOUR PRESSURE	NOT DETERMINED		
OTHER SOLUBILITIES	SOLUBLE IN ETHANOL		
OTHER TECHNICAL DATA	(4%). IT CONTAINS REAL NATU	BLEND OF NATURAL (71%), NATURAL IDENTICAL (25%) AND ARTIFICIAL SUBSTANCES (4%). IT CONTAINS REAL NATURAL SOLUBLE OAKWOOD EXTRACT. IT DOES NOT CONTAIN NEITHER OAKMOSS NOR TREEMOSS ("MOUSSE DE CHENE").	
STABILITY AND	STORAGE		

KEEP IN TIGHTLY CLOSED CONTAINER IN A COOL AND DRY PLACE, PROTECTED FROM LIGHT. WHEN STORED FOR MORE THAN 24 MONTHS, QUALITY SHOULD BE CHECKED BEFORE USE.

SOME SOLID MATTER CAN PRECIPITATE: FILTER IF NECESSARY.

WE BELIEVE THE ABOVE INFORMATION TO BE CORRECT BUT WE DO NOT PRESENT IT AS ALL INCLUSIVE AND AS SUCH SHOULD BE USED AS A GUIDE. IT IS THE SOLE RESPONSIBILITY OF THE RECEIVER OF OUR PRODUCT TO COMPLY WITH EXISTING REGULATIONS AND INSTRUCTIONS.