

## **SPECIFICATION SHEET**

**VERSION** 3,00 **VERSION DATE** 24/11/21 **PRINT DATE** 28/04/24

PRODUCT CEDRONE S IFF

**APPLICATIONS** Industrial raw material not intended for direct use.

IUPAC NAME CEDARWOOD OIL, EPOXIDIZED

**SYNONYMS** 

**FORMULA** 

MOLECULAR WEIGHT 0,00

**CAS** 100209-33-4

**EINECS** 309-341-2

**TARIFF NUMBER** 2914290090

**REACH REGISTRATION NO.** Exempt from registration (imported/manufactured < 1 ton/year)

## **SPECIFICATIONS**

ASPECT AT 20°C LIQUID

COLOUR PALE YELLOW TO YELLOW ODOUR WOODY, DRY, BALSAMIC

**TASTE** 

 DENSITY AT 20°C (g / ml)
 0,996
 - 1,007

 DENSITY 25/25
 0,995
 - 1,006

 REFRACTIVE INDEX nD20
 1,4990
 - 1,5090

REFRACTIVE INDEX nD25
OPTICAL ROTATION (°)
/

BOILING POINT (°C) MELTING POINT (°C) FLASH POINT (°C) 93,00

**ASSAY (% GC)** CEDRANONE < 30%; SECTION1: 5-15% SECCION2: 80-95%

ACID VALUE (mg KOH/g)

**SOLUBILITY** SOLUBILITY IN WATER NOT DETERMINED

**VAPOUR PRESSURE** 0,0001 calculated (kPa) **OTHER SOLUBILITIES** SOLUBLE IN ETHANOL

OTHER TECHNICAL DATA

THE VALUES OF % CEDRANONE, SECTION 1 AND SECTION 2 HAVE BEEN

ANALYZED WITH A POLAR COLUMN. IT IS DERIVED FROM CEDARWOOD

VIRGINIA.

## STABILITY AND STORAGE

KEEP IN TIGHTLY CLOSED CONTAINER IN A COOL AND DRY PLACE, PROTECTED FROM LIGHT. WHEN STORED FOR MORE THAN 24 MONTHS, QUALITY SHOULD BE CHECKED BEFORE USE.

WE BELIEVE THE ABOVE INFORMATION TO BE CORRECT BUT WE DO NOT PRESENT IT AS ALL INCLUSIVE AND AS SUCH SHOULD BE USED AS A GUIDE. IT IS THE SOLE RESPONSIBILITY OF THE RECEIVER OF OUR PRODUCT TO COMPLY WITH EXISTING REGULATIONS AND INSTRUCTIONS.