

## SAVORY OIL

Revision date: 06-09-2022 Version: 3.3/GHS/EN Print Date: 16-04-2024 Page: 1 / 7

## 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND THE COMPANY/UNDERTAKING

#### 1.1. Identification of the substance/mixture

Trade name: Substance name: CAS Number: CE Number: SAVORY OIL SAVORY OIL 90106-57-3, 8016-68-0 290-280-2

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Raw material for the manufacture of fragrances and/or flavourings.

### 1.3. Details of the supplier of the safety data sheet

Company:	Ernesto Ventós SA		
Address:	Carretera Real, 120 B		
	08960 Sant Just Desvern – Barcelona – SPAIN		
Telephone:	(00 34) 934 706 210		
Fax:	(00 34) 934 733 010		
E-mail:	info@ventos.com		

#### 1.4. Emergency telephone number

NCEC (+44) 1865 407333 (24h) NCEC (+34) 91 114 2520 (24h) (ES) NCEC (+1) 202 464 2554 (24h) (USA, Canada)

## 2. HAZARDS IDENTIFICATION

### 2.1. Classification of the substance or mixture

Flammable Liquids - Category 3 - H226 Acute Toxicity - Category 4 (oral) - H302 Acute Toxicity - Category 4 (inhalation) - H332 Skin Irritant - Category 2 - H315 Eye Irritant - Category 2 - H319 Skin sensitizer - Category 1B - H317 Toxic to reproduction - Category 2 - H361 Aspiration hazard - Category 1 - H304 Hazardous to the aquatic environment, short-term (acute) - Category 2 - H401 Hazardous to the aquatic environment, long-term (chronic) - Category 2 - H411

### 2.2. Label Elements



Signal Word: Danger

#### Hazard statements:

- H226 Flammable liquid and vapour.
- H302 Harmful if swallowed.
- H304 May be fatal if swallowed and enters airways.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H319 Causes serious eye irritation.
- H332 Harmful if inhaled.
- H361 Suspected of damaging fertility or the unborn child.
- H411 Toxic to aquatic life with long lasting effects.

#### Precautionary statements:

- P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.
- P261 Avoid breathing dust/fume/gas/mist/vapours/spray.
- P280 Wear protective gloves/protective clothing/eye protection/face protection.

P301+P310+P330+P331 – IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. Rinse mouth. Do NOT induce vomiting. P302+P352+P333+P313 – IF ON SKIN: Wash with plenty of soap and water. If skin irritation or rash occurs: Get medical advice/attention.

P305+P351+P338+P337+P313 – IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.



# SAVORY OIL

Revision date: 06-09-2022 Version: 3.3/GHS/EN Print Date: 16-04-2024 Page: 2 / 7

# 2.3. Other hazards

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

# 3.1. Substances

Chemical name:
CAS number:
EC number:

SAVORY OIL 90106-57-3, 8016-68-0 290-280-2

#### Hazardous constituents:

Chemical Name	% (w/w)	CAS No. EC No.	Classification according to GHS	
CARVACROL	≥25; <50	499-75-2 207-889-6	Acute Toxicity - Category 4 (oral) - H302 Skin Irritant - Category 2 - H315 Eye Irritant - Category 2A - H319 Skin sensitizer - Category 1B - H317 Hazardous to the aquatic environment, short-term (acute) - Category 2 - H401	
PARA-CYMENE	≥10; <25	99-87-6 202-796-7	Flammable Liquids - Category 3 - H226 Acute Toxicity - Category 3 (inhalation) - H331 Acute Toxicity - Category 5 (oral) - H303 Toxic to reproduction - Category 2 - H361 Aspiration hazard - Category 1 - H304 Hazardous to the aquatic environment, short-term (acute) - Category 2 - H401 Hazardous to the aquatic environment, long-term (chronic) - Category 2 - H411	
GAMMA-TERPINENE	≥10; <25	99-85-4 202-794-6	Flammable Liquids - Category 3 - H226 Acute Toxicity - Category 5 (oral) - H303 Toxic to reproduction - Category 2 - H361 Aspiration hazard - Category 1 - H304 Hazardous to the aquatic environment, short-term (acute) - Category 2 - H401 Hazardous to the aquatic environment, long-term (chronic) - Category 2 - H411	
BETA-CARYOPHYLLENE	≥1; <10	87-44-5 201-746-1	Skin sensitizer - Category 1B - H317 Aspiration hazard - Category 1 - H304	
ALPHA-PINENE	≥1; <10	80-56-8 201-291-9	Flammable Liquids - Category 3 - H226 Acute Toxicity - Category 4 (oral) - H302 Skin Irritant - Category 2 - H315 Skin sensitizer - Category 1B - H317 Aspiration hazard - Category 1 - H304 Hazardous to the aquatic environment, short-term (acute) - Category 1 - H400 Hazardous to the aquatic environment, long-term (chronic) - Category 1 - H410	
THYMOL	≥1; <10	89-83-8 201-944-8	Acute Toxicity - Category 4 (oral) - H302 Skin Corrosion - Category 1B - H314 Serious eye damage - Category 1 - H318 Hazardous to the aquatic environment, short-term (acute) - Category 2 - H401 Hazardous to the aquatic environment, long-term (chronic) - Category 2 - H411	
L-BETA-BISABOLENE	≥1; <10	495-61-4 NOT LISTED	Acute Toxicity - Category 4 (inhalation) - H332 Skin Irritant - Category 2 - H315 Skin sensitizer - Category 1B - H317 Aspiration hazard - Category 1 - H304 Hazardous to the aquatic environment, short-term (acute) - Category 2 - H401 Hazardous to the aquatic environment, long-term (chronic) - Category 2 - H411	
BORNEOL	≥1; <10	507-70-0 208-080-0	Flammable Solids - Category 2 - H228 Skin Irritant - Category 2 - H315 Serious eye damage - Category 1 - H318 Hazardous to the aquatic environment, short-term (acute) - Category 2 - H401 Hazardous to the aquatic environment, long-term (chronic) - Category 2 - H411	
MYRCENE	≥1; <10	123-35-3 204-622-5	Flammable Liquids - Category 3 - H226 Skin Irritant - Category 2 - H315 Eye Irritant - Category 2A - H319 Aspiration hazard - Category 1 - H304 Hazardous to the aquatic environment, short-term (acute) - Category 1 - H400 Hazardous to the aquatic environment, long-term (chronic) - Category 2 - H411	
LINALOOL	≥1; <10	78-70-6 201-134-4	Flammable Liquids - Category 4 - H227 Acute Toxicity - Category 5 (oral) - H303 Skin Irritant - Category 2 - H315 Eye Irritant - Category 2A - H319 Skin sensitizer - Category 1B - H317 Hazardous to the aquatic environment, short-term (acute) - Category 3 - H402	



# SAVORY OIL

Revision date: 06-09-2022 Version: 3.3/GHS/EN Print Date: 16-04-2024 Page: 3 / 7

GERANIOL	≥1; <10	106-24-1 203-377-1	Acute Toxicity - Category 5 (oral) - H303 Skin Irritant - Category 2 - H315 Serious eye damage - Category 1 - H318 Skin sensitizer - Category 1 - H317 Hazardous to the aquatic environment, short-term (acute) - Category 3 - H402
LIMONENE	≥1; <10	138-86-3 205-341-0	Flammable Liquids - Category 3 - H226 Skin Irritant - Category 2 - H315 Skin sensitizer - Category 1B - H317 Aspiration hazard - Category 1 - H304 Hazardous to the aquatic environment, short-term (acute) - Category 1 - H400 Hazardous to the aquatic environment, long-term (chronic) - Category 3 - H412
ALPHA-TERPINENE	≥1; <10	99-86-5 202-795-1	Flammable Liquids - Category 3 - H226 Acute Toxicity - Category 4 (oral) - H302 Skin Irritant - Category 3 - H316 Eye Irritant - Category 2B - H320 Skin sensitizer - Category 1 - H317 Aspiration hazard - Category 1 - H304 Hazardous to the aquatic environment, short-term (acute) - Category 2 - H401 Hazardous to the aquatic environment, long-term (chronic) - Category 2 - H411
1-OCTEN-3-OL	≥1; <10	3391-86-4 222-226-0	Flammable Liquids - Category 4 - H227 Acute Toxicity - Category 3 (oral) - H301 Acute Toxicity - Category 4 (inhalation) - H332 Acute Toxicity - Category 5 (dermal) - H313 Skin Irritant - Category 2 - H315 Eye Irritant - Category 2B - H320 Skin sensitizer - Category 1B - H317 Hazardous to the aquatic environment, short-term (acute) - Category 2 - H401
EUCALYPTOL	≥0.1; <1	470-82-6 207-431-5	Flammable Liquids - Category 3 - H226 Acute Toxicity - Category 5 (oral) - H303 Eye Irritant - Category 2B - H320 Skin sensitizer - Category 1B - H317 Hazardous to the aquatic environment, short-term (acute) - Category 3 - H402
BETA-PINENE	≥0.1; <1	127-91-3 204-872-5	Flammable Liquids - Category 3 - H226 Skin Irritant - Category 2 - H315 Skin sensitizer - Category 1B - H317 Aspiration hazard - Category 1 - H304 Hazardous to the aquatic environment, short-term (acute) - Category 1 - H400 Hazardous to the aquatic environment, long-term (chronic) - Cat <mark>egory 1 - H410</mark>
METHYL EUGENOL	≥0.1; <1	93-15-2 202-223-0	Acute Toxicity - Category 4 (oral) - H302 Germ cell mutagenicity - Category 2 - H341 Carcinogenicity - Category 2 - H351 Hazardous to the aquatic environment, short-term (acute) - Category 2 - H401

See the full text of the hazard statements in section 16.

## 3.2. Mixtures

Not applicable.

 4. FIRST-AID MEASURES

 4.1. Description of necessary first aid measures

 Ingestion:
 Rinse mouth with water.

 Obtain medical advice.

 Keep at rest. Do not induce vomiting.

 Eye contact:
 In case of contact with eyes, rinse immediately with plenty of water for at least 15 minutes and seek medical advice.

 Inhalation:
 Remove person to fresh air and keep at rest.

 Seek immediate medical advice.

 Skin contact:
 Take off immediately all contaminated clothing.

 Thoroughly wash affected skin with soap and water.

 Seek medical attention if symptoms persist.

**4.2. Most important symptoms and effects, both acute and delayed** No information available.

**4.3. Indication of any immediate medical attention and special treatment needed** No information available.



# SAVORY OIL

Revision date: 06-09-2022 Version: 3.3/GHS/EN Print Date: 16-04-2024 Page: 4 / 7

# **5. FIRE-FIGHTING MEASURES**

### 5.1. Extinguishing Media

Water spray, carbon dioxide, dry chemical powder or appropriate foam. For safety reasons do not use full water jet.

### 5.2. Special hazards arising from the substance or mixture

Known or Anticipated Hazardous Products of Combustion: Emits toxic fumes under fire conditions.

### 5.3. Advice for firefighters

High temperatures can lead to high pressures inside closed containers. Avoid inhalation of vapors that are created. Use appropriate respiratory protection. Do not allow spillage of fire to be poured into drains or watercourses. Wear self-contained breathing apparatus and protective clothing.

## **6. ACCIDENTAL RELEASE MEASURES**

### 6.1. Personal precautions, protective equipment and emergency procedures

Evacuate surronding areas. Ensure adequate ventilation. Keep unnecessary and unprotected personnel from entering. Do not breathe vapor/spray. Avoid contact with skin and eyes. Information regarding personal protective measures: see section 8.

### 6.2. Environmental precautions

To avoid possible contamination of the environment, do not discharge into any drains, surface waters or groundwaters.

### 6.3. Methods and materials for containment and cleaning up

Cover with an inert, inorganic, non-combustible absorbent material (e.g. dry-lime, sand, soda ash). Place in covered containers using non-sparking tools and transport outdoors. Avoid open flames or sources of ignition (e.g. pilot lights on gas hot water heater). Ventilate area and wash spill site after material pickup is complete.

### 6.4. Reference to other sections

Information regarding exposure controls, personal protection and disposal considerations can be found in sections 8 and 13.

### 7. HANDLING AND STORAGE

### 7.1. Precautions for safe handling

Do not store or handle this material near food or drinking water. Do not smoke. Avoid contact with the eyes, skin and clothing. Wear protective clothing and use glasses. Observe the rules of safety and hygiene at work. Keep in the original container or an alternative made from a compatible material.

#### 7.2. Conditions for safe storage, including any incompatibilities

Store in tightly closed and preferably full containers in a cool, dry and ventilated area, protected from light. Keep away from sources of ignition (e.g. hot surfaces, sparks, flame and static discharges). Keep away from incompatible materials (see section 10).

### 7.3. Specific end use(s)

No information available.

# 8. EXPOSURE CONTROLS AND PERSONAL PROTECTION

### 8.1. Control parameters

Components with occupational exposure limits:

Chemical Name	CAS No.	Norm.	8 hr.	1	15 min.			
chemical Name	CAS NO.	Norm.	0	ppm	mg/m <sup>3</sup>	15 1111.	ppm	mg/m <sup>3</sup>
ALPHA-PINENE	80-56-8	ES (España)	VLA-ED	20	113	VLA-EC	1	
BETA-PINENE	127-91-3	ES (España)	VLA-ED	20	113	VLA-EC		

### 8.2. Exposure controls

Measures should be taken to prevent materials from being splashed into the body. Provide adequate ventilation, according to the conditions of use. Use a mechanical exhaust if required.



# SAVORY OIL

Revision date: 06-09-2022 Version: 3.3/GHS/EN Print Date: 16-04-2024 Page: 5 / 7

### 8.3. Individual protection measures, such as personal protective equipment

Eye/Face protection:Chemical safety goggles are recommended. Wash contaminated goggles before reuse.Hand Protection:Chemical-resistant gloves are recommended. Wash contaminated gloves before reuse.Body protection:Personal protective equipment for the body should be selected based on the task being performed and the risks<br/>involved.Respiratory Protection:In case of insufficient ventilation, use suitable respiratory equipment.Environmental exposure controls:Emissions from ventilation or process equipment should be checked to ensure they comply with environmental<br/>protection.In some cases filters or engineering modifications to the process equipment will be necessary to reduce emissions

In some cases, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance:	Liquid
Colour:	Confor
Odour:	Confor
Odour theshold:	Not det
pH:	Not det
Melting point/freezing point:	Not det
Boling point/boiling range (°C):	Not det
Flash point:	60 °C
Evaporation rate:	Not det
Flammability:	Not det
Lower flammability/Explosive limit:	Not det
Upper flammability/Explosive limit:	Not det
Vapour pressure:	Not det
Vapour Density:	Not det
Density:	0,9—0,
Relative density:	0,9-0,9
Water solubility:	INSOLU
Solubility in other solvents:	SOLUBI
Partition coefficient n-octanol/water:	Not det
Auto-ignition temperature:	Not det
Decomposition temperature:	Not det
Viscosity, dynamic:	Not det
Viscosity, kinematic:	Not det
Explosive properties:	Not det
Oxidising properties:	NONE E

onforms to standard onforms to standard ot determined ot determined ot determined ot determined )°C ot determined ot determined ot determined ot determined ot determined ot determined  $9-0,95 \text{ g/mL} (20^{\circ}\text{C})$ 9-0,95 (20°C) ISOLUBLE IN WATER OLUBLE IN ETHANOL ot determined ot determined ot determined ot determined ot determined ot determined ONE EXPECTED

### **10. STABILITY AND REACTIVITY**

#### 10.1. Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

#### 10.2. Chemical stability

The product is stable if stored and handled as prescribed/indicated.

### 10.3. Possibility of hazardous reactions

No hazardous reactions if stored and handled as prescribed/indicated.

### 10.4. Conditions to Avoid

Conditions to Avoid: Excessive heat, flame or other ignition sources.

#### 10.5. Incompatible materials

Avoid contact with strong acids and bases and oxidizing agents.

#### 10.6. Hazardous decomposition products

During combustion may form carbon monoxide and unidentified organic compounds.



## SAVORY OIL

Revision date: 06-09-2022 Version: 3.3/GHS/EN Print Date: 16-04-2024 Page: 6 / 7

# **11. TOXICOLOGICAL INFORMATION**

Acute toxicity	Harmful if swallowed. Harmful if inhaled.
Skin corrosion/irritation	Causes skin irritation.
Serious eye damage/irritation	Causes serious eye irritation.
Respiratory or skin sensitisation	May cause an allergic skin reaction.
Germ cell mutagenicity	Based on the data available, the criteria for classification are not met.
Carcinogenicity	Based on the data available, the criteria for classification are not met.
Reproductive toxicity	Suspected of damaging fertility or the unborn child.
STOT-single exposure	Based on the data available, the criteria for classification are not met.
STOT-repeated exposure	Based on the data available, the criteria for classification are not met.
Aspiration hazard	May be fatal if swallowed and enters airways.

## **12. ECOLOGICAL INFORMATION**

#### 12.1. Toxicity

Assessment: Toxic to aquatic life with long lasting effects. Experimental/calculated data: No information available.

# 12.2. Persistence and degradability

No information available.

### 12.3. Bioaccumulative potential

No information available.

### 12.4. Soil mobility

No information available.

# 12.5. Other adverse effects

See also sections 6, 7, 13 and 15 Do not allow to get into waste water or waterways.

#### **13. DISPOSAL CONSIDERATIONS**

#### 13.1. Waste treatment methods

Dispose of in accordance with national and local environmental regulations.

### **14. TRANSPORT INFORMATION**

	ADR/RID/ADN	IMDG	IATA-ICAO
14.1. UN Number	UN1197	UN1197	UN1197
14.2. UN Proper Shipping Name	EXTRACTS, LIQUID	EXTRACTS, LIQUID (PARA-CYMENE)	EXTRACTS, LIQUID
14.3. Transport Hazard Class(es)	3	3	3
14.4. Packing Group	111	III /	
14.5. Environmental hazards	Yes	Yes	Yes
Additional information			

### 14.6 Special precautions for user

None known

#### 14.7. Maritime transport in bulk according to IMO instruments

No information available

### **15. REGULATORY INFORMATION**

#### **15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture** No information available

## **16. OTHER INFORMATION**

**Full text of the R-phrases, hazard statements and precautionary statements mentioned in section 3:** H226 – Flammable liquid and vapour.

H227 – Combustible liquid.



### **SAVORY OIL**

Revision date: 06-09-2022 Version: 3.3/GHS/EN

Print Date: 16-04-2024 Page: 7 / 7

- H228 Flammable solid.
- H301 Toxic if swallowed. H302 - Harmful if swallowed.
- H303 May be harmful if swallowed.
- H304 May be fatal if swallowed and enters airways.
- H313 May ne harmful in contact with skin.
- H314 Causes severe skin burns and eye damage.
- H315 Causes skin irritation.
- H316 Causes mild skin irritation.
- H317 May cause an allergic skin reaction.
- H318 Causes serious eye damage.
- H319 Causes serious eye irritation.
- H320 Causes eye irritation.
- H331 Toxic if inhaled.
- H332 Harmful if inhaled.
- H341 Suspected of causing genetic defects.
- H351 Suspected of causing cancer.
- H361 Suspected of damaging fertility or the unborn child.
- H400 Very toxic to aquatic life. H401 – Toxic to aquatic life.
- H402 Harmful to aquatic life.
- H410 Very toxic to aquatic life with long lasting effects.
- H411 Toxic to aquatic life with long lasting effects. H412 - Harmful to aquatic life with long lasting effects.

The information included in this safety data sheet is based on the available data at the moment this document is issued. It is meant to be a description of safety requirements for our product and does not stand for a guarantee of its properties. The user is responsible for taking all necessary steps leading to compliance with local rules and legislation.