

SPECIFICATION SHEET

| VERSION 2,00 | VERSION DATE 19/09/22 | PRINT DATE | 12/05/24 |
|---|--|-------------|----------|
| PRODUCT | TONKA BEANS RESINOID FIRMENICH 988 | 198 | |
| APPLICATIONS | Industrial raw material not intended for direct use. | | |
| IUPAC NAME | TONKA BEANS RESINOID | | |
| PLANT OF ORIGIN | Dipteryx Odorata | | |
| PART OF THE PLANT | BEANS | | |
| SYNONYMS | | | |
| | | | |
| | | | |
| CAS 2 | 8046-22-8 | | |
| EINECS | 289-793-4 | | |
| EINECS 2 | - | | |
| | | | |
| TARIFF NUMBER | 3301294900 | | |
| KOSHER CERTIFICATE | AVAILABLE ON REQUEST | | |
| REACH REGISTRATION | NO. Exempt from registration (imported/manufactured < | 1 ton/year) | |
| PLANT OF ORIGIN PART OF THE PLANT SYNONYMS CAS CAS 2 EINECS EINECS 2 TARIFF NUMBER | Dipteryx Odorata BEANS 90028-06-1 8046-22-8 289-793-4 - 3301294900 AVAILABLE ON REQUEST | 1 ton/year) | |

SPECIFICATIONS

| ASPECT AT 20°C | VERY VISCOUS PASTY LIQUID/SOLID | | |
|--------------------------|---|--|--|
| COLOUR | PALE BROWN TO BROWN | | |
| ODOUR | RICH, SWEET, WARM, COUMARIN-LIKE | | |
| TASTE | | | |
| DENSITY AT 20°C (g / ml) | - · | | |
| DENSITY 25/25 | - · | | |
| REFRACTIVE INDEX nD20 | 1,4700 - 1,4900 | | |
| REFRACTIVE INDEX nD25 | - | | |
| OPTICAL ROTATION (°) | 1 | | |
| BOILING POINT (°C) | ' | | |
| MELTING POINT (°C) | | | |
| FLASH POINT (°C) | 80,00 | | |
| ASSAY (% GC) | 00,00 | | |
| ACID VALUE (mg KOH/g) | | | |
| SOLUBILITY | | | |
| | INSOLUBLE IN WATER | | |
| | NOT DETERMINED SOLUBLE IN ETHANOL | | |
| OTHER SOLUBILITIES | SOLUBLE IN ETHANOL | | |
| | | | |
| | | | |
| OTHER TECHNICAL DATA | RESIDUAL SOLVENTS: ETHANOL: 3% - HEXANE: 0,0025% - ETHYL ACETATE: 0,01% | | |

STABILITY AND STORAGE

KEEP IN TIGHTLY CLOSED CONTAINER IN A COOL AND DRY PLACE, PROTECTED FROM LIGHT. WHEN STORED FOR MORE THAN 24 MONTHS, QUALITY SHOULD BE CHECKED BEFORE USE.

WE BELIEVE THE ABOVE INFORMATION TO BE CORRECT BUT WE DO NOT PRESENT IT AS ALL INCLUSIVE AND AS SUCH SHOULD BE USED AS A GUIDE. IT IS THE SOLE RESPONSIBILITY OF THE RECEIVER OF OUR PRODUCT TO COMPLY WITH EXISTING REGULATIONS AND INSTRUCTIONS.