

SPECIFICATION SHEET


VERSION 6,00 **VERSION DATE** 02/05/24 **PRINT DATE** 20/05/24

PRODUCT CAMPHENE

APPLICATIONS Industrial raw material not intended for direct use.

IUPAC NAME 2,2-DIMETHYL-3-METHYLENE NORBORNANE
SYNONYMS 3,3-DIMETHYL-2-METHYLENE NORCAMPHANE

FORMULA C10 H16 **MOLECULAR WEIGHT** 136,20 CAS 79-92-5 CAS 2 5794-04-7 **EINECS** 201-234-8 **EINECS 2** 227-337-8 2229 **FEMA TARIFF NUMBER** 2902190000



REACH REGISTRATION NO. 01-2119446293-40

SPECIFICATIONS

ASPECT AT 20°C SOLID COLOUR WHITE

ODOURTERPENE, CAMPHORTASTECAMPHORACEOUS

DENSITY AT 20°C (g / ml)

DENSITY 25/25

REFRACTIVE INDEX nD20

REFRACTIVE INDEX nD25

OPTICAL ROTATION (°) -48,00 / -5,00
BOILING POINT (°C) 150 - 160°C
MELTING POINT (°C) CA. 50°C
FLASH POINT (°C) 36,00

ASSAY (% GC) CAMPHENE > 80

ACID VALUE (mg KOH/g) -

SOLUBILITY SOLUBILITY IN WATER: 4,2 mg/L (20°C)

VAPOUR PRESSURE APPROX. 1 mm Hg (25°C) **OTHER SOLUBILITIES** SOLUBLE IN ETHANOL

OTHER TECHNICAL DATA CAMPHENE + TERPENES C10H16 > 95%. AT ROOM TEMPERATURE, CAMPHENE

IS A SOLID MASS, COLORLESS IN LITTLE QUANTITY AND WHITE IN BIG

QUANTITIES. WHEN MELTED, IT IS A COLORLESS LIQUID.

STABILITY AND STORAGE

KEEP IN TIGHTLY CLOSED CONTAINER IN A COOL AND DRY PLACE, PROTECTED FROM LIGHT. WHEN STORED FOR MORE THAN 24 MONTHS, QUALITY SHOULD BE CHECKED BEFORE USE.

MELT AND HOMOGENIZE BEFORE USE. RECOMMENDED TEMPERATURE: 50°C.

WE BELIEVE THE ABOVE INFORMATION TO BE CORRECT BUT WE DO NOT PRESENT IT AS ALL INCLUSIVE AND AS SUCH SHOULD BE USED AS A GUIDE. IT IS THE SOLE RESPONSIBILITY OF THE RECEIVER OF OUR PRODUCT TO COMPLY WITH EXISTING REGULATIONS AND INSTRUCTIONS.

THIS PRODUCT HAS NOT BEEN FILTERED DUE TO TECHNICAL REASONS. WE RECOMMEND NOT TO USE IT UNLESS FILTERED WHEN USED AS A RAW MATERIAL IN FOOD INTENDED FOR FINAL CONSUMERS.