

SPECIFICATION SHEET

VERSION 3,00 **VERSION DATE** 24/11/21 **PRINT DATE** 21/12/24

PRODUCT CEDRONE S IFF

APPLICATIONS Industrial raw material not intended for direct use.

IUPAC NAME CEDARWOOD OIL, EPOXIDIZED

SYNONYMS

FORMULA

MOLECULAR WEIGHT 0,00

CAS 100209-33-4

EINECS 309-341-2

TARIFF NUMBER 2914290090

REACH REGISTRATION NO. Exempt from registration (imported/manufactured < 1 ton/year)

SPECIFICATIONS

ASPECT AT 20°C LIQUID

COLOUR PALE YELLOW TO YELLOW ODOUR WOODY, DRY, BALSAMIC

TASTE

 DENSITY AT 20°C (g / ml)
 0,996
 - 1,007

 DENSITY 25/25
 0,995
 - 1,006

 REFRACTIVE INDEX nD20
 1,4990
 - 1,5090

REFRACTIVE INDEX nD25
OPTICAL ROTATION (°)
ROLLING POINT (°C)

BOILING POINT (°C) MELTING POINT (°C) FLASH POINT (°C) 93,00

ASSAY (% GC) CEDRANONE < 30%; SECTION1: 5-15% SECCION2: 80-95%

ACID VALUE (mg KOH/g)

SOLUBILITY SOLUBILITY IN WATER NOT DETERMINED

VAPOUR PRESSURE 0,0001 calculated (kPa) **OTHER SOLUBILITIES** SOLUBLE IN ETHANOL

OTHER TECHNICAL DATA

THE VALUES OF % CEDRANONE, SECTION 1 AND SECTION 2 HAVE BEEN

ANALYZED WITH A POLAR COLUMN. IT IS DERIVED FROM CEDARWOOD

VIRGINIA.

STABILITY AND STORAGE

KEEP IN TIGHTLY CLOSED CONTAINER IN A COOL AND DRY PLACE, PROTECTED FROM LIGHT. WHEN STORED FOR MORE THAN 24 MONTHS, QUALITY SHOULD BE CHECKED BEFORE USE.

WE BELIEVE THE ABOVE INFORMATION TO BE CORRECT BUT WE DO NOT PRESENT IT AS ALL INCLUSIVE AND AS SUCH SHOULD BE USED AS A GUIDE. IT IS THE SOLE RESPONSIBILITY OF THE RECEIVER OF OUR PRODUCT TO COMPLY WITH EXISTING REGULATIONS AND INSTRUCTIONS.