

## **SPECIFICATION SHEET**

VERSION 3,00 VERSIO	<b>N DATE</b> 19/05/21	<b>PRINT DATE</b> 16/08/24
PRODUCT APPLICATIONS IUPAC NAME SYNONYMS	ACETOIN 50% PG Industrial raw material not int MULTICOMPONENTS 3-HYDROXY-2-BUTANONE	ended for direct use. , ACETOIN, ACETYLMETHYLCARBINO
FORMULA MOLECULAR WEIGHT CAS	0,00 513-86-0	O H
EINECS	208-174-1	CH3-C-CH3
TARIFF NUMBER	3302909000	óн

**REACH REGISTRATION NO.** On request. REACH and non-REACH material available for this product.

## SPECIFICATIONS

ASPECT AT 20°C
COLOUR
ODOUR
TASTE
DENSITY AT 20°C (g / ml)
DENSITY 25/25
<b>REFRACTIVE INDEX nD20</b>
<b>REFRACTIVE INDEX nD25</b>
<b>OPTICAL ROTATION (°)</b>
BOILING POINT (°C)
MELTING POINT (°C)
FLASH POINT (°C)
ASSAY (% GC)
ACID VALUE (mg KOH/g)
SOLUBILITY
VAPOUR PRESSURE
OTHER SOLUBILITIES

CLEAR MOBILE LIQUID/SOLID COLORLESS TO PALE YELLOW BUTTER-LIKE 1,014 - 1,024 -1,4210 - 1,4310 -/ -CA. 10-15°C 57,00 -SOLUBLE IN WATER NOT DETERMINED SOLUBLE IN ETHANOL

OTHER TECHNICAL DATA

IT CONTAINS 50% OF PROPYLENEGLYCOL. PURGE HEADSPACE WITH NITROGEN.

## **STABILITY AND STORAGE**

KEEP IN TIGHTLY CLOSED CONTAINER IN A COOL AND DRY PLACE, PROTECTED FROM LIGHT. WHEN STORED FOR MORE THAN 24 MONTHS, QUALITY SHOULD BE CHECKED BEFORE USE. IT CAN SOLIDIFY PARTIALLY, HEAT GENTLY UP TO COMPLETE FUSION AND THEN STIR.

WE BELIEVE THE ABOVE INFORMATION TO BE CORRECT BUT WE DO NOT PRESENT IT AS ALL INCLUSIVE AND AS SUCH SHOULD BE USED AS A GUIDE. IT IS THE SOLE RESPONSIBILITY OF THE RECEIVER OF OUR PRODUCT TO COMPLY WITH EXISTING REGULATIONS AND INSTRUCTIONS.

THIS PRODUCT HAS NOT BEEN FILTERED DUE TO TECHNICAL REASONS. WE RECOMMEND NOT TO USE IT UNLESS FILTERED WHEN USED AS A RAW MATERIAL IN FOOD INTENDED FOR FINAL CONSUMERS.