

SPECIFICATION SHEET

VERSION 3,00 **VERSION DATE** 19/05/21 **PRINT DATE** 16/08/24


PRODUCT ACETOIN 50% DPG
APPLICATIONS Industrial raw material not intended for direct use.
IUPAC NAME MULTICOMPONENTS
SYNONYMS 3-HYDROXY-2-BUTANONE, ACETOIN, ACETYLMETHYLCARBINO

FORMULA

MOLECULAR WEIGHT 0,00
CAS 513-86-0

EINECS 208-174-1

TARIFF NUMBER 3302909000



REACH REGISTRATION NO. All the ingredients of the mixture have been registered or they are exempt from registration.

SPECIFICATIONS

ASPECT AT 20°C	CLEAR MOBILE LIQUID/SOLID
COLOUR	COLORLESS TO PALE YELLOW
ODOUR	BUTTER-LIKE
TASTE	
DENSITY AT 20°C (g / ml)	1,010 - 1,020
DENSITY 25/25	-
REFRACTIVE INDEX nD20	1,4280 - 1,4380
REFRACTIVE INDEX nD25	-
OPTICAL ROTATION (°)	/
BOILING POINT (°C)	-
MELTING POINT (°C)	-
FLASH POINT (°C)	57,00
ASSAY (% GC)	-
ACID VALUE (mg KOH/g)	
SOLUBILITY	PARTLY SOLUBLE IN WATER
VAPOUR PRESSURE	NOT DETERMINED
OTHER SOLUBILITIES	SOLUBLE IN ETHANOL

OTHER TECHNICAL DATA PURGE HEADSPACE WITH NITROGEN.

STABILITY AND STORAGE

KEEP IN TIGHTLY CLOSED CONTAINER IN A COOL AND DRY PLACE, PROTECTED FROM LIGHT. WHEN STORED FOR MORE THAN 24 MONTHS, QUALITY SHOULD BE CHECKED BEFORE USE.
 IT CONTAINS 50% OF DIPROPYLENEGLYCOL.

WE BELIEVE THE ABOVE INFORMATION TO BE CORRECT BUT WE DO NOT PRESENT IT AS ALL INCLUSIVE AND AS SUCH SHOULD BE USED AS A GUIDE. IT IS THE SOLE RESPONSIBILITY OF THE RECEIVER OF OUR PRODUCT TO COMPLY WITH EXISTING REGULATIONS AND INSTRUCTIONS.