

SPECIFICATION SHEET

VERSION 2,00 VERSIO	N DATE 18/10/22	PRINT DATE 18/05/24
PRODUCT APPLICATIONS IUPAC NAME SYNONYMS	ACETYL METHYL CARBINOL, US NATURAL Industrial raw material not intended for direct use. 3-HYDROXY-2-BUTANONE 3-HYDROXY-2-BUTANONE, ACETOIN, ACETYLME	THYLCARBINO
FORMULA MOLECULAR WEIGHT CAS	C4 H8 O2 88,00 513-86-0	РН
EINECS	²⁰⁸⁻¹⁷⁴⁻¹ CH ₃	Ё—¢—сн₃
FEMA TARIFF NUMBER	2008 2914409090	он
FOOD GRADE CERTIFICATE REACH REGISTRATION NO.	AVAILABLE ON REQUEST Exempt from registration (according to article 2.5 of RI	EACH)

SPECIFICATIONS

ASPECT AT 20°C COLOUR ODOUR TASTE DENSITY AT 20°C (g / ml) DENSITY 25/25 **REFRACTIVE INDEX nD20 REFRACTIVE INDEX nD25 OPTICAL ROTATION (°) BOILING POINT (°C)** MELTING POINT (°C) FLASH POINT (°C) ASSAY (% GC) ACID VALUE (mg KOH/g) SOLUBILITY VAPOUR PRESSURE **OTHER SOLUBILITIES**

MOBILE LIQUID TO SOLID (DIMER) / POWDER COLORLESS TO YELLOW BUTTER-LIKE BUTTER-LIKE 1,005 - 1,025 1,005 - 1,019 - 1,4200 1,4170 1 140 - 148 CA. 15 (MONOMER);110 (DIMER) 50,00 > 96 (RACEMIC QUALITY) INSOLUBLE IN WATER NOT DETERMINED SOLUBLE IN ETHANOL

OTHER TECHNICAL DATA

M.P. OF DIMER 115-125°C (IT DISSOCIATES AT T>20°C); MONOMER 15°C. FOR MELTING THE PRODUCT, THE RECOMMENDED TEMPERATURE IS <60°C. IF THE PRODUCT APPEARS AS POWDER (DIMER), DO NOT HEAT NOR MELT. DO NOT PACK IN STEEL DRUM.

STABILITY AND STORAGE

KEEP IN TIGHTLY CLOSED CONTAINER IN A COOL AND DRY PLACE, PROTECTED FROM LIGHT. WHEN STORED FOR MORE THAN 24 MONTHS, QUALITY SHOULD BE CHECKED BEFORE USE.

IT CHANGES TO MONOMER (LIQUID) AT T>20°C. STORE TEMPERATURE < 15°C. PURGE HEADSPACE WITH NITROGEN.

WE BELIEVE THE ABOVE INFORMATION TO BE CORRECT BUT WE DO NOT PRESENT IT AS ALL INCLUSIVE AND AS SUCH SHOULD BE USED AS A GUIDE. IT IS THE SOLE RESPONSIBILITY OF THE RECEIVER OF OUR PRODUCT TO COMPLY WITH EXISTING REGULATIONS AND INSTRUCTIONS.

THIS PRODUCT HAS NOT BEEN FILTERED DUE TO TECHNICAL REASONS. WE RECOMMEND NOT TO USE IT UNLESS FILTERED WHEN USED AS A RAW MATERIAL IN FOOD INTENDED FOR FINAL CONSUMERS.